# **S Permatex**

# SAFETY DATA SHEET

Revision Date 05-Jan-2016 Version 3

# 1. IDENTIFICATION

**Product identifier** 

Product Name 5J-1 INDIAN HEAD GASKET SHELLAC 2 FL.OZ

Other means of identification

Product Code 20539 Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Sealant

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address Distributor

ITW Permatex Canada
6875 Parkland Blvd. 35 Brownridge Road, Unit 1
Solon, OH 44139 USA Halton Hills, ON Canada L7G 0C6

Telephone: (800) 924-6994

Company Phone Number 1-87-Permatex

(877) 376-2839

24 Hour Emergency Phone Number Chem-Tel: 800-255-3924

International Emergency: 00+1+ 813-248-0585

Contract Number: MIS0003453

E-mail address mail@permatex.com

# 2. HAZARDS IDENTIFICATION

#### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

NOTE: This product is a consumer product and is labeled in accordance with the US Consumer Product Safety Commission regulations which take precedence over OSHA Hazard Communication labeling. The actual container label will not include the label elements below. The labeling below applies to industrial/professional products.

| Acute toxicity - Oral                            | Category 3 |
|--|------------|
| Skin sensitization                               | Category 1 |
| Specific target organ toxicity (single exposure) | Category 1 |
| Flammable liquids                                | Category 3 |

#### Label elements

#### **Emergency Overview**

# Danger

Toxic if swallowed

May cause an allergic skin reaction

Causes damage to organs
Flammable liquid and vapor



Appearance Brown Physical state Viscous liquid Odor Alcohol

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Use only non-sparking tools

Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

IF exposed: Call a POISON CENTER or doctor/physician

Specific treatment (see supplemental first aid instructions on this label)

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

In case of fire: Use CO2, dry chemical, or foam for extinction

# **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep cool

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

- Harmful to aquatic life with long lasting effects

Unknown acute toxicity

3.927 % of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### substance(s)

| Chemical Name | CAS No    | Weight-% | Trade Secret |
|---------------|-----------|----------|--------------|
| ROSIN         | 8050-09-7 | 40 - 70  | *            |
| ETHANOL       | 64-17-5   | 10 - 30  | *            |
| 2-PROPANOL    | 67-63-0   | 1 - 5    | *            |
| METHANOL      | 67-56-1   | 1 - 5    | *            |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

**Description of first aid measures** 

**General advice** Get medical advice/attention if you feel unwell.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash with soap and water. If skin irritation or rash occurs: Get medical

advice/attention. Wash contaminated clothing before reuse.

**Inhalation** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If symptoms persist, call a physician.

Ingestion IF SWALLOWED:. Call a physician or poison control center immediately. Rinse mouth.

**Self-protection of the first aider**Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

**Symptoms** See section 2 for more information.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable extinguishing media

None.

Specific hazards arising from the chemical

Flammable. Risk of ignition.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes or

clothing. Use personal protective equipment as required. Wash thoroughly after handling. Remove all sources of ignition. Take precautionary measures against static discharges.

Environmental precautions

**Environmental precautions** Do not flush into surface water or sanitary sewer system.

Methods and material for containment and cleaning up

FL.OZ

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Eliminate all ignition sources if safe to do so. Ensure adequate ventilation. Soak up with

inert absorbent material. Sweep up and shovel into suitable containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing

vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

Incompatible materials Strong oxidizing agents

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

| Chemical Name | ACGIH TLV      | OSHA PEL                               | NIOSH IDLH                              |
|---------------|----------------|--|---|
| ROSIN         | -              | (vacated) TWA: 0.1 mg/m <sup>3</sup>   | TWA: 0.1 mg/m <sup>3</sup> Formaldehyde |
| 8050-09-7     |                | Formaldehyde                           |   |
| ETHANOL       | STEL: 1000 ppm | TWA: 1000 ppm                          | IDLH: 3300 ppm                          |
| 64-17-5       |                | TWA: 1900 mg/m <sup>3</sup>            | TWA: 1000 ppm                           |
|               |                | (vacated) TWA: 1000 ppm                | TWA: 1900 mg/m <sup>3</sup>             |
|               |                | (vacated) TWA: 1900 mg/m <sup>3</sup>  |   |
| 2-PROPANOL    | STEL: 400 ppm  | TWA: 400 ppm                           | IDLH: 2000 ppm                          |
| 67-63-0       | TWA: 200 ppm   | TWA: 980 mg/m <sup>3</sup>             | TWA: 400 ppm                            |
|               |                | (vacated) TWA: 400 ppm                 | TWA: 980 mg/m <sup>3</sup>              |
|               |                | (vacated) TWA: 980 mg/m <sup>3</sup>   | STEL: 500 ppm                           |
|               |                | (vacated) STEL: 500 ppm                | STEL: 1225 mg/m <sup>3</sup>            |
|               |                | (vacated) STEL: 1225 mg/m <sup>3</sup> |   |
| METHANOL      | STEL: 250 ppm  | TWA: 200 ppm                           | IDLH: 6000 ppm                          |
| 67-56-1       | TWA: 200 ppm   | TWA: 260 mg/m <sup>3</sup>             | TWA: 200 ppm                            |
|               | S*             | (vacated) TWA: 200 ppm                 | TWA: 260 mg/m <sup>3</sup>              |
|               |                | (vacated) TWA: 260 mg/m <sup>3</sup>   | STEL: 250 ppm                           |
|               |                | (vacated) STEL: 250 ppm                | STEL: 325 mg/m <sup>3</sup>             |
|               |                | (vacated) STEL: 325 mg/m <sup>3</sup>  |   |
|               |                | (vacated) S*                           |   |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

Engineering Controls Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing.

**Respiratory protection**Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as

appropriate.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of

equipment, work area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Viscous liquid Appearance Brown Alcohol

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No information available

Melting point / freezing point

Boiling point / boiling range

No information available
82 °C / 180 °F

Flash point 25 °C / 77 °F Tag Closed Cup Evaporation rate <1 Butyl acetate = 1

Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: 12.7% Lower flammability limit: 2.3%

Vapor pressure 33 mm Hg @ 68°F

Vapor density 2.07 Air = 1
Relative density 1.1

Water solubility Negligible Solubility in other solvents No information available **Partition coefficient** No information available **Autoignition temperature** No information available **Decomposition temperature** No information available No information available Kinematic viscosity No information available **Dynamic viscosity Explosive properties** No information available **Oxidizing properties** No information available

**Other Information** 

Softening pointNo information availableMolecular weightNo information available

VOC Content (%) 32%

DensityNo information availableBulk densityNo information available

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### Chemical stability

Stable under recommended storage conditions

#### Possibility of Hazardous Reactions

None under normal processing.

# Conditions to avoid

# 20539 - 5J-1 INDIAN HEAD GASKET SHELLAC 2 FL.OZ

Heat, flames and sparks. Take precautionary measures against static discharges.

#### Incompatible materials

Strong oxidizing agents

# **Hazardous Decomposition Products**

Carbon oxides Aldehydes Carboxylic acids

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Inhalation** May cause irritation of respiratory tract.

**Eye contact** Contact with eyes may cause irritation. May cause redness and tearing of the eyes.

**Skin contact** May cause skin irritation and/or dermatitis. May cause sensitization by skin contact.

**Ingestion** Toxic if swallowed.

| Chemical Name | Oral LD50                      | Dermal LD50              | Inhalation LC50                       |
|---------------|--------------------------------|--------------------------|---------------------------------------|
| ROSIN         | = 3 mg/kg (Rat) = 7600 mg/kg ( | > 2500 mg/kg (Rabbit)    | = 1.5 mg/L (Rat) 4 h                  |
| 8050-09-7     | Rat )                          |                          |                                       |
| ETHANOL       | = 7060 mg/kg (Rat)             | -                        | = 124.7 mg/L (Rat) 4 h                |
| 64-17-5       |                                |                          |                                       |
| 2-PROPANOL    | = 1870 mg/kg (Rat)             | = 4059 mg/kg ( Rabbit )  | = 72600 mg/m <sup>3</sup> ( Rat ) 4 h |
| 67-63-0       |                                |                          |                                       |
| METHANOL      | = 6200 mg/kg (Rat)             | = 15800 mg/kg ( Rabbit ) | = 22500 ppm (Rat) 8 h = 64000         |
| 67-56-1       |                                | ,                        | ppm (Rat)4h                           |

# Information on toxicological effects

**Symptoms** No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization No information available. Germ cell mutagenicity**No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC    | NTP   | OSHA |
|---------------|-------|---------|-------|------|
| ETHANOL       | A3    | Group 1 | Known | X    |
| 64-17-5       |       | · ·     |       |      |

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Chronic toxicity May cause adverse effects on the bone marrow and blood-forming system. May cause

adverse liver effects. Contains a known or suspected reproductive toxin.

Target Organ Effects Blood, Central nervous system, Eyes, Gastrointestinal tract (GI), Liver, Reproductive

System, Respiratory system, Skin, Thyroid.

# The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 5 mg/kg ATEmix (dermal) 3196 mg/kg ATEmix (inhalation-dust/mist) 34.8 mg/l

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

3.927 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants             | Fish                              | Crustacea                          |
|---------------|----------------------------------|-----------------------------------|------------------------------------|
| ROSIN         | 400: 72 h Desmodesmus            | -                                 | 3.8 - 5.4: 48 h Daphnia magna mg/L |
| 8050-09-7     | subspicatus mg/L EC50            |                                   | EC50                               |
| ETHANOL       | -                                | 12.0 - 16.0: 96 h Oncorhynchus    | 9268 - 14221: 48 h Daphnia magna   |
| 64-17-5       |                                  | mykiss mL/L LC50 static 100: 96 h | mg/L LC50 2: 48 h Daphnia magna    |
|               |                                  | Pimephales promelas mg/L LC50     | mg/L EC50 Static 10800: 24 h       |
|               |                                  | static 13400 - 15100: 96 h        | Daphnia magna mg/L EC50            |
|               |                                  | Pimephales promelas mg/L LC50     |                                    |
|               |                                  | flow-through                      |                                    |
| 2-PROPANOL    | 1000: 96 h Desmodesmus           | 9640: 96 h Pimephales promelas    | 13299: 48 h Daphnia magna mg/L     |
| 67-63-0       | subspicatus mg/L EC50 1000: 72 h | mg/L LC50 flow-through 11130: 96  | EC50                               |
|               | Desmodesmus subspicatus mg/L     | h Pimephales promelas mg/L LC50   |                                    |
|               | EC50                             | static 1400000: 96 h Lepomis      |                                    |
|               |                                  | macrochirus µg/L LC50             |                                    |
| METHANOL      | -                                | 28200: 96 h Pimephales promelas   | -                                  |
| 67-56-1       |                                  | mg/L LC50 flow-through 100: 96 h  |                                    |
|               |                                  | Pimephales promelas mg/L LC50     |                                    |
|               |                                  | static 19500 - 20700: 96 h        |                                    |
|               |                                  | Oncorhynchus mykiss mg/L LC50     |                                    |
|               |                                  | flow-through 13500 - 17600: 96 h  |                                    |
|               |                                  | Lepomis macrochirus mg/L LC50     |                                    |
|               |                                  | flow-through 18 - 20: 96 h        |                                    |
|               |                                  | Oncorhynchus mykiss mL/L LC50     |                                    |
|               |                                  | static                            |                                    |

# Persistence and degradability

No information available.

#### Bioaccumulation

No information available.

# **Mobility**

No information available.

| Chemical Name | Partition coefficient |
|---------------|-----------------------|
| ETHANOL       | -0.32                 |
| 64-17-5       |                       |
| 2-PROPANOL    | 0.05                  |
| 67-63-0       |                       |
| METHANOL      | -0.77                 |
| 67-56-1       |                       |

#### Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

# Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number D001

| Chemical Name | RCRA | RCRA - Basis for Listing  | RCRA - D Series Wastes | RCRA - U Series Wastes |
|---------------|------|---------------------------|------------------------|------------------------|
| METHANOL      | =    | Included in waste stream: | -                      | U154                   |
| 67-56-1       |      | F039                      |                        |                        |

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status |
|---------------|-----------------------------------|
| ETHANOL       | Toxic                             |
| 64-17-5       | Ignitable                         |
| 2-PROPANOL    | Toxic                             |
| 67-63-0       | Ignitable                         |
| METHANOL      | Toxic                             |
| 67-56-1       | Ignitable                         |

# 14. TRANSPORT INFORMATION

DOT

**UN/ID no** 1866

Proper shipping name: Resin, solution, flammable, Limited Quantity (LQ)

Hazard Class 3
Packing Group III
Emergency Response Guide 127

Number

IATA

**UN/ID no** ID 8000

Proper shipping name: Consumer commodity

Hazard Class 9 ERG Code 9L

**IMDG** 

**UN/ID no** 1866

Proper shipping name: Resin, solution, flammable, Limited Quantity (LQ)

Hazard Class 3
Packing Group III
EmS-No F-E, S-E

# 15. REGULATORY INFORMATION

**International Inventories** 

Complies **TSCA DSL/NDSL** Complies **EINECS/ELINCS** Complies **ENCS** Not Listed. **IECSC** Complies Complies **KECL PICCS** Complies Complies **AICS** 

Leaend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **US Federal Regulations**

# **SARA 313**

# 20539 - 5J-1 INDIAN HEAD GASKET SHELLAC 2 FL.OZ

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name        | SARA 313 - Threshold Values % |
|----------------------|-------------------------------|
| 2-PROPANOL - 67-63-0 | 1.0                           |
| METHANOL - 67-56-1   | 1.0                           |

#### SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No
Fire hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

# **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---------------|--------------------------|----------------|--------------------------|
| METHANOL      | 5000 lb                  | =              | RQ 5000 lb final RQ      |
| 67-56-1       |                          |                | RQ 2270 kg final RQ      |

# **US State Regulations**

# **California Proposition 65**

This product contains the following Proposition 65 chemicals

| Chemical Name                     | California Proposition 65 |
|-----------------------------------|---------------------------|
| ETHANOL - 64-17-5                 | Carcinogen                |
|                                   | Developmental             |
| METHANOL - 67-56-1                | Developmental             |
| METHYL ISOBUTYL KETONE - 108-10-1 | Carcinogen                |
|                                   | Developmental             |

#### U.S. State Right-to-Know Regulations

| Chemical Name                      | New Jersey | Massachusetts | Pennsylvania |
|------------------------------------|------------|---------------|--------------|
| ETHANOL<br>64-17-5                 | Χ          | X             | Х            |
| 2-PROPANOL<br>67-63-0              | Х          | X             | Х            |
| WATER<br>7732-18-5                 | -          | -             | Х            |
| METHANOL<br>67-56-1                | Χ          | X             | Х            |
| METHYL ISOBUTYL KETONE<br>108-10-1 | Х          | X             | Х            |

# U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

#### **WHMIS Hazard Class**

B2 - Flammable liquid, D2B - Toxic materials

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 2 Flammability 3 Instability 0 HMIS Health hazards 2 Flammability 3 Physical hazards 0 Personal protection B

NFPA (National Fire Protection Association)
HMIS (Hazardous Material Information System)

**Revision Date** 

05-Jan-2016

# **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**