



# SAFETY DATA SHEET

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 17-Aug-2015

Version 1

## Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product Code 85120  
Product Name LIQUID ELECTRICAL TAPE 4 OZ

Contains XYLENE

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Protectant  
Uses advised against No information available

### 1.3. Details of the supplier of the safety data sheet

**Importer**  
ITW Permatex  
10 Columbus Blvd.  
Hartford, CT 06106 USA  
Telephone: 1-87-Permatex  
(877) 376-2839

**E-mail address**  
mail@permatex.com

### 1.4. Emergency telephone number

24 Hour Emergency Phone Number - 800-255-3924 (00+ 1+ 813-248-0585) ChemTel

## Section 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Specific target organ toxicity (single exposure)	Category 3 - (H335,H336)
Chronic aquatic toxicity	Category 2 - (H411)

Classification according to Directive 67/548/EEC or 1999/45/EC  
Full text of R-phrases: see section 16

### 2.2. Label elements

Contains XYLENE

**Signal word**

Warning

**Statements of hazard**

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H411 - Toxic to aquatic life with long lasting effects

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

**Precautionary Statements - EU (§28, 1272/2008)**

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P273 - Avoid release to the environment

P321 - Specific treatment (see supplemental first aid instructions on this label)

**Other Information**

- Not applicable

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

**3.1 substances**

Chemical Name	EC No	CAS No	Weight-%	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
METHYL ETHYL KETONE (BUTANONE)	201-159-0	78-93-3	30-50	F; R11 Xi; R36 R66 R67	Eye Irrit. 2 (H319) (EUH066) STOT SE 3 (H336) Flam. Liq. 2 (H225)	No data available
XYLENE	215-535-7	1330-20-7	10-30	R10 Xn; R20/21 Xi; R38	Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Flam. Liq. 3 (H226)	No data available
ACETONE	200-662-2	67-64-1	5-20	F; R11 Xi; R36 R66 R67	Eye Irrit. 2 (H319) (EUH066) STOT SE 3 (H336) Flam. Liq. 2 (H225)	No data available

**Full text of R-phrases: see section 16****Full text of H- and EUH-phrases: see section 16**

### Section 4: FIRST AID MEASURES

**4.1. Description of first aid measures****General advice**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

---

<b>Inhalation</b>	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.
<b>Skin contact</b>	IF ON SKIN: Wash with soap and water. If symptoms persist, call a physician. Wash contaminated clothing before reuse.
<b>Eye contact</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
<b>Ingestion</b>	IF SWALLOWED: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.

#### **4.2. Most important symptoms and effects, both acute and delayed**

**Symptoms** See section 2 for more information

#### **4.3. Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

### **Section 5: FIRE FIGHTING MEASURES**

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

Carbon dioxide (CO<sub>2</sub>). Foam. Dry chemical.

##### **Unsuitable extinguishing media**

Do not use a solid water stream as it may scatter and spread fire

#### **5.2. Special hazards arising from the substance or mixture**

Highly flammable. Keep product and empty container away from heat and sources of ignition.

#### **5.3. Advice for firefighters**

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

### **Section 6: ACCIDENTAL RELEASE MEASURES**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **Personal precautions**

Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

##### **For emergency responders**

Use personal protection recommended in Section 8.

#### **6.2. Environmental precautions**

Do not flush into surface water or sanitary sewer system.

#### **6.3. Methods and material for containment and cleaning up**

##### **Methods for containment**

Prevent further leakage or spillage if safe to do so.

##### **Methods for cleaning up**

Eliminate all ignition sources if safe to do so. Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

**6.4. Reference to other sections**

See section 8 for more information. See section 13 for more information.

**Section 7: HANDLING AND STORAGE****7.1. Precautions for safe handling****Advice on safe handling**

Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required. Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

**General Hygiene Considerations**

Do not eat, drink or smoke when using this product. Take off all contaminated clothing and wash it before reuse. Wash hands thoroughly after handling.

**7.2. Conditions for safe storage, including any incompatibilities****Storage Conditions**

Store locked up. Store in a well-ventilated place. Keep cool.

**Incompatible materials**

Strong oxidizing agents, Acids, Bases, Alkalis, Amines

**7.3. Specific end use(s)****Specific use(s)**

Automotive Care Product.

**Risk Management Methods (RMM)**

The information required is contained in this Safety Data Sheet.

**Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1. Control parameters**

Chemical Name	European Union	United Kingdom	France	Spain	Germany
METHYL ETHYL KETONE (BUTANONE) 78-93-3	TWA 200 ppm TWA 600 mg/m <sup>3</sup> STEL 300 ppm STEL 900 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 600 mg/m <sup>3</sup> STEL: 300 ppm STEL: 899 mg/m <sup>3</sup> Sk*	TWA: 200 ppm TWA: 600 mg/m <sup>3</sup> STEL: 300 ppm STEL: 900 mg/m <sup>3</sup> *	TWA: 200 ppm TWA: 600 mg/m <sup>3</sup> STEL: 300 ppm STEL: 900 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 600 mg/m <sup>3</sup> H*
XYLENE 1330-20-7	TWA 50 ppm TWA 221 mg/m <sup>3</sup> STEL 100 ppm STEL 442 mg/m <sup>3</sup> *	TWA: 50 ppm TWA: 220 mg/m <sup>3</sup> STEL: 100 ppm STEL: 441 mg/m <sup>3</sup> Sk*	TWA: 1000 mg/m <sup>3</sup> STEL: 1500 mg/m <sup>3</sup> *	TWA: 50 ppm TWA: 221 mg/m <sup>3</sup> STEL: 100 ppm STEL: 442 mg/m <sup>3</sup> vía dérmica*	TWA: 100 ppm TWA: 440 mg/m <sup>3</sup> H*
ACETONE 67-64-1	TWA 500 ppm TWA 1210 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 1210 mg/m <sup>3</sup> STEL: 1500 ppm STEL: 3620 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 1210 mg/m <sup>3</sup> STEL: 1000 ppm STEL: 2420 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 1210 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 1200 mg/m <sup>3</sup>
Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
METHYL ETHYL KETONE (BUTANONE) 78-93-3	TWA: 200 ppm TWA: 600 mg/m <sup>3</sup> STEL: 300 ppm STEL: 900 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 600 mg/m <sup>3</sup> STEL: 300 ppm STEL: 900 mg/m <sup>3</sup>	TWA: 590 mg/m <sup>3</sup> STEL: 900 mg/m <sup>3</sup> H*	STEL: 100 ppm STEL: 300 mg/m <sup>3</sup> iho*	TWA: 50 ppm TWA: 145 mg/m <sup>3</sup> H*
XYLENE 1330-20-7	TWA: 50 ppm TWA: 221 mg/m <sup>3</sup> STEL: 100 ppm STEL: 442 mg/m <sup>3</sup> pelle*	TWA: 50 ppm TWA: 221 mg/m <sup>3</sup> STEL: 100 ppm STEL: 442 mg/m <sup>3</sup> P*	TWA: 210 mg/m <sup>3</sup> STEL: 442 mg/m <sup>3</sup> H*	TWA: 50 ppm TWA: 220 mg/m <sup>3</sup> STEL: 100 ppm STEL: 440 mg/m <sup>3</sup> iho*	TWA: 25 ppm TWA: 109 mg/m <sup>3</sup> H*
ACETONE	TWA: 500 ppm	TWA: 500 ppm	TWA: 1210 mg/m <sup>3</sup>	TWA: 500 ppm	TWA: 250 ppm

67-64-1	TWA: 1210 mg/m <sup>3</sup>	TWA: 1210 mg/m <sup>3</sup> STEL: 750 ppm	STEL: 2420 mg/m <sup>3</sup>	TWA: 1200 mg/m <sup>3</sup> STEL: 630 ppm STEL: 1500 mg/m <sup>3</sup>	TWA: 600 mg/m <sup>3</sup>
<b>Chemical Name</b>	<b>Austria</b>	<b>Switzerland</b>	<b>Poland</b>	<b>Norway</b>	<b>Ireland</b>
METHYL ETHYL KETONE (BUTANONE) 78-93-3	TWA: 100 ppm TWA: 295 mg/m <sup>3</sup> STEL 200 ppm STEL 590 mg/m <sup>3</sup> H*	TWA: 200 ppm TWA: 590 mg/m <sup>3</sup> STEL: 200 ppm STEL: 590 mg/m <sup>3</sup> H*	STEL: 900 mg/m <sup>3</sup> TWA: 450 mg/m <sup>3</sup>	TWA: 75 ppm TWA: 220 mg/m <sup>3</sup> STEL: 112.5 ppm STEL: 275 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 600 mg/m <sup>3</sup> STEL: 300 ppm STEL: 900 mg/m <sup>3</sup> Sk*
XYLENE 1330-20-7	TWA: 50 ppm TWA: 221 mg/m <sup>3</sup> STEL 100 ppm STEL 442 mg/m <sup>3</sup> H*	TWA: 100 ppm TWA: 435 mg/m <sup>3</sup> STEL: 200 ppm STEL: 870 mg/m <sup>3</sup> H*	TWA: 100 mg/m <sup>3</sup>	TWA: 25 ppm TWA: 108 mg/m <sup>3</sup> STEL: 37.5 ppm STEL: 135 mg/m <sup>3</sup> H*	TWA: 50 ppm TWA: 221 mg/m <sup>3</sup> STEL: 100 ppm STEL: 442 mg/m <sup>3</sup> Sk*
ACETONE 67-64-1	TWA: 500 ppm TWA: 1200 mg/m <sup>3</sup> STEL 2000 ppm STEL 4800 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 1200 mg/m <sup>3</sup> STEL: 1000 ppm STEL: 2400 mg/m <sup>3</sup>	STEL: 1800 mg/m <sup>3</sup> TWA: 600 mg/m <sup>3</sup>	TWA: 125 ppm TWA: 295 mg/m <sup>3</sup> STEL: 156.25 ppm STEL: 368.75 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 1210 mg/m <sup>3</sup>

Chemical Name	European Union	United Kingdom	France	Spain	Germany
METHYL ETHYL KETONE (BUTANONE) 78-93-3	-	70	-	2	5 mg/L
XYLENE 1330-20-7	-	650	-	1	1.5 mg/L 2000 mg/L
ACETONE 67-64-1	-	-	-	50	80 mg/L
Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
XYLENE 1330-20-7	-	-	-	5.0	-
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
METHYL ETHYL KETONE (BUTANONE) 78-93-3	-	5	-	-	-
XYLENE 1330-20-7	-	1.5	-	-	-
ACETONE 67-64-1	-	80	-	-	-

**Derived No Effect Level (DNEL)** No information available.

**Predicted No Effect Concentration (PNEC)** No information available.

## 8.2. Exposure controls

### Engineering Controls

Use exhaust ventilation to keep airborne concentrations below exposure limits.

### Personal protective equipment

#### Eye/face protection

Wear safety glasses with side shields (or goggles).

#### Skin and body protection

Suitable protective clothing. Gloves made of plastic or rubber.

#### Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.

**Environmental exposure controls** Local authorities should be advised if significant spillages cannot be contained.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

#### Physical state

Liquid

#### Appearance

Black

#### Odor

Solvent

#### Odor threshold

No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No information available	
Melting point / freezing point	No information available	
Boiling point / boiling range	54-232 °C / 131-449 °F	
Flash point	16 °C / 61 °F	Setaflash Closed Cup
Evaporation rate	>1	Ether = 1
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	
Vapor density	>1	Air = 1
Relative density	0.9752	
Water solubility	Insoluble in water	
Solubility(ies)	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	
<b>9.2. Other information</b>		
Softening point	No information available	
Molecular weight	No information available	
VOC Content (%)	54%	
Density	No information available	
Bulk density	No information available	

## Section 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Not applicable

### 10.2. Chemical stability

Stable under normal conditions.

#### Explosion data

Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.

### 10.3. Possibility of hazardous reactions

None under normal processing.

### 10.4. Conditions to avoid

Heat, flames and sparks.

### 10.5. Incompatible materials

Strong oxidizing agents  
Acids  
Bases  
Alkalis  
Amines

### 10.6. Hazardous decomposition products

Carbon oxides  
Hydrogen chloride

## Section 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Product Information

<b>Inhalation</b>	May cause irritation of respiratory tract. May cause drowsiness or dizziness.
<b>Eye contact</b>	Irritating to eyes. May cause redness and tearing of the eyes.
<b>Skin contact</b>	May cause skin irritation and/or dermatitis. Prolonged contact may cause redness and irritation.
<b>Ingestion</b>	Ingestion may cause irritation to mucous membranes.

The following values are calculated based on chapter 3.1 of the GHS document

<b>ATEmix (oral)</b>	2,846.00 mg/kg
<b>ATEmix (dermal)</b>	3,422.00 mg/kg
<b>ATEmix (inhalation-dust/mist)</b>	2.10 mg/l
<b>ATEmix (inhalation-vapor)</b>	11,905.00 mg/l

#### Unknown acute toxicity

- 99.3 % of the mixture consists of ingredient(s) of unknown toxicity.
- 39.3 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.
- 44.3 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
- 99.3 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).
- 59.3 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).
- 80.3 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

<b>Skin corrosion/irritation</b>	No information available.
<b>Serious eye damage/eye irritation</b>	No information available.
<b>Sensitization</b>	No information available.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	No information available.
<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Target Organ Effects</b>	Central nervous system, Central Vascular System (CVS), Eyes, Respiratory system, Skin.
<b>Aspiration hazard:</b>	No information available.

## Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### Ecotoxicity

Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Crustacea
METHYL ETHYL KETONE (BUTANONE)	-	3130 - 3320: 96 h Pimephales promelas mg/L LC50 flow-through	520: 48 h Daphnia magna mg/L EC50 5091: 48 h Daphnia magna

			mg/L EC50 4025 - 6440: 48 h Daphnia magna mg/L EC50 Static
XYLENE	-	13.4: 96 h Pimephales promelas mg/L LC50 flow-through 2.661 - 4.093: 96 h Oncorhynchus mykiss mg/L LC50 static 13.5 - 17.3: 96 h Oncorhynchus mykiss mg/L LC50 13.1 - 16.5: 96 h Lepomis macrochirus mg/L LC50 flow-through 19: 96 h Lepomis macrochirus mg/L LC50 7.711 - 9.591: 96 h Lepomis macrochirus mg/L LC50 static 23.53 - 29.97: 96 h Pimephales promelas mg/L LC50 static 780: 96 h Cyprinus carpio mg/L LC50 semi-static 780: 96 h Cyprinus carpio mg/L LC50 30.26 - 40.75: 96 h Poecilia reticulata mg/L LC50 static	3.82: 48 h water flea mg/L EC50 0.6: 48 h Gammarus lacustris mg/L LC50
ACETONE	-	4.74 - 6.33: 96 h Oncorhynchus mykiss mL/L LC50 6210 - 8120: 96 h Pimephales promelas mg/L LC50 static 8300: 96 h Lepomis macrochirus mg/L LC50	10294 - 17704: 48 h Daphnia magna mg/L EC50 Static 12600 - 12700: 48 h Daphnia magna mg/L EC50

**12.2. Persistence and degradability**

No information available.

**12.3. Bioaccumulative potential**

No information available.

Chemical Name	Partition coefficient
METHYL ETHYL KETONE (BUTANONE)	0.29
XYLENE	2.77 - 3.15
ACETONE	-0.24

**12.4. Mobility in soil****Mobility in soil**

No information available.

**12.5. Results of PBT and vPvB assessment**

No information available.

**12.6. Other adverse effects**

No information available

## Section 13: DISPOSAL CONSIDERATIONS

**13.1. Waste treatment methods**

<b>Waste from residues/unused products</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations.
<b>Contaminated packaging</b>	Do not reuse container.
<b>Waste codes / waste designations according to EWC / AVV</b>	No data available



**Other Information**

Waste codes should be assigned by the user based on the application for which the product was used.

### Section 14: TRANSPORT INFORMATION

**IMDG**

14.1 UN/ID no 1133  
 14.2 Proper shipping name: Adhesives, Limited Quantity (LQ)  
 14.3 Hazard Class 3  
 14.4 Packing Group II  
 14.5 Marine pollutant Not applicable  
 14.6 Special Provisions No information available  
 14.7 EmS-No F-E, S-D

**RID**

14.1 UN/ID no 1133  
 14.2 Proper shipping name: Adhesives, Limited Quantity (LQ)  
 14.3 Hazard Class 3  
 14.4 Packing Group II  
 14.5 Environmental hazard Not applicable  
 14.6 Special Provisions No information available  
 14.7 Classification code F1

**ADR**

14.1 UN/ID no 1133  
 14.2 Proper shipping name: Adhesives, Limited Quantity (LQ)  
 14.3 Hazard Class Not regulated  
 14.4 Packing Group II  
 14.5 Environmental hazard Not applicable  
 14.6 Special Provisions No information available  
 14.7 Classification code F1

**IATA**

14.1 UN/ID no ID 8000  
 14.2 Proper shipping name: Consumer commodity  
 14.3 Hazard Class 9  
 14.4 Packing Group None  
 14.5 Environmental hazard Not applicable  
 14.6 Special Provisions No information available  
 14.7 ERG Code 9L

### Section 15: REGULATORY INFORMATION

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Chemical Name	French RG number	Title
METHYL ETHYL KETONE (BUTANONE) 78-93-3	RG 84	-
XYLENE 1330-20-7	RG 4bis, RG 84	-
ACETONE 67-64-1	RG 84	-

**European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

**Authorizations and/or restrictions on use:**

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

**Persistent Organic Pollutants**

Not applicable

**Ozone-depleting substances (ODS) regulation (EC) 1005/2009**

Not applicable

**International Inventories**

<b>TSCA</b>	Complies
<b>DSL/NDSL</b>	Complies
<b>EINECS/ELINCS</b>	Not Listed.
<b>ENCS</b>	Not Listed.
<b>IECSC</b>	Complies
<b>KECL</b>	Complies
<b>PICCS</b>	Complies
<b>AICS</b>	Complies

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**15.2. Chemical safety assessment**

No information available

**Section 16: OTHER INFORMATION****Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of R-phrases referred to under sections 2 and 3**

No information available

**Full text of H-Statements referred to under section 3**

H312 - Harmful in contact with skin

H332 - Harmful if inhaled

H315 - Causes skin irritation

H226 - Flammable liquid and vapor

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

H225 - Highly flammable liquid and vapor

EUH066 - Repeated exposure may cause skin dryness or cracking

**Legend**

SVHC: Substances of Very High Concern for Authorization:

**Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Revision Date

17-Aug-2015

Revision Note Not applicable.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

End of Safety Data Sheet