

Revision Date 04-Sep-2015

SAFETY DATA SHEET

Version 2

1. IDENTIFICATION

Product identifier Product Name	BEARING MOUNT FOR RELAXED FITS 50ML
<u>Other means of identification</u> Product Code Synonyms	68050 None
<u>Recommended use of the chemical</u> Recommended Use Uses advised against	<u>and restrictions on use</u> Adhesive No information available
Details of the supplier of the safety Manufactured and Distributed by: ITW Professional Automotive Products 3606 Craftsman Blvd Lakeland, FL 33803	May Also Be Distributed by:
Company Phone Number 24 Hour Emergency Phone Number	863-665-3338 Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585 Contract Number: MIS0003583
E-mail address	EHS@itwproap.com

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

Label elements

Warning

Emergency Overview

Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction May cause damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Contaminated work clothing should not be allowed out of the workplace Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label) Get medical advice/attention if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

- Not applicable

Unknown acute toxicity

62.14 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance(s)

Chemical Name	CAS No	Weight-%	Trade Secret
DIMETHACRYLATE ESTER	27813-02-1	15 - 40	*
DIMETHYLBENZYL HYDROPEROXIDE	80-15-9	1 - 5	*
SACCHARIN	81-07-2	0.1-1.0	*
MALEIC ACID	110-16-7	0.1 - 1	*
ACRYLIC ACID	79-10-7	0.1 - 1	*

4. FIRST AID MEASURES

Description of first aid measures

General adviceGet medical advice/attention if you feel unwell.Eye contactIF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
present and easy to do. Continue rinsing. If eye irritation persists: Get medical

skin.

00000 - BEARING MOUNT FOI	RELAXED FITS SOME	Revision Date 04-3ep-2
	advice/attention.	
Skin contact	IF ON SKIN:. Wash with soap and water. If skin ir advice/attention. Wash contaminated clothing bef	
Inhalation	IF INHALED: Remove victim to fresh air and keep breathing. If symptoms persist, call a physician.	at rest in a position comfortable for
Ingestion	IF SWALLOWED:. Do NOT induce vomiting. Neve unconscious person. Call a physician.	er give anything by mouth to an
Self-protection of the first aider	Use personal protective equipment as required.	
Most important symptoms and eff	ects, both acute and delayed	
Symptoms	See section 2 for more information.	
Indication of any immediate medio	cal attention and special treatment needed	
Note to physicians	Treat symptomatically.	
	5. FIRE-FIGHTING MEASURES	
Suitable extinguishing media Carbon dioxide (CO2), Dry chemical	, Foam	
<u>Unsuitable extinguishing media</u> None.		
Specific hazards arising from the None in particular.	<u>chemical</u>	
<u>Explosion data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge	None. None.	
Protective equipment and precaut As in any fire, wear self-contained be protective gear.	tions for firefighters reathing apparatus pressure-demand, MSHA/NIOSH	(approved or equivalent) and full
	6. ACCIDENTAL RELEASE MEASURE	S
Personal precautions, protective	equipment and emergency procedures	
Personal precautions	Ensure adequate ventilation, especially in confine Use personal protective equipment as required.	d areas. Avoid contact with eyes and
Environmental precautions		
Environmental precautions	Do not flush into surface water or sanitary sewer s ecological Information.	system. See Section 12 for additional
Methods and material for contain	nent and cleaning up	

Methods and material for containment and cleaning up

Methods for containment

Methods for cleaning up Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

Prevent further leakage or spillage if safe to do so.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.	
Incompatible materials	Strong oxidizing agents, Amines	

Precautions for safe handling

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines	-		
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ACRYLIC ACID	TWA: 2 ppm	(vacated) TWA: 10 ppm	TWA: 2 ppm
79-10-7	S*	(vacated) TWA: 30 mg/m ³	TWA: 6 mg/m ³
		(vacated) S*	-

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Green
Odor	Irritating
Odor threshold	No information available
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air	<u>Values</u> No information available No information available 100 °C / 212 °F 95 °C / 203 °F No information available No information available

Remarks • Method

Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Relative density Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	No information available No information available No information available No information available 1.1 Immiscible in water No information available No information available No information available No information available 1300 mPas No information available No information available	
Softening point Molecular weight VOC Content (%) Density Bulk density	No information available No information available 0.8%/8.9 g/L No information available No information available	

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Excessive heat.

Incompatible materials

Strong oxidizing agents, Amines

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ingestion	Ingestion may cause irritation to mucous membranes.		
Skin contact	May cause skin irritation and/or dermatitis. May cause sensitization by skin contact.		
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.		
Inhalation	May be harmful if inhaled.		

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
DIMETHACRYLATE ESTER 27813-02-1	= 11200 mg/kg(Rat)	> 3000 mg/kg (Rabbit)	-
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	= 382 mg/kg (Rat)	= 0.126 mL/kg (Rabbit)	= 220 ppm (Rat)4 h
MALEIC ACID 110-16-7	= 708 mg/kg (Rat)	= 1560 mg/kg (Rabbit)	> 720 mg/m³(Rat)1 h

ACRYLIC ACID	= 33500 µg/kg (Rat) = 193 mg/kg	= 295 mg/kg (Rabbit) = 280 µL/kg	= 3.6 mg/L (Rat) 4 h = 11.1 mg/L
79-10-7	(Rat)	(Rabbit)	(Rat) 1 h

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity		No information available. No information available.			
Carcinogenicity	The table bel	The table below indicates whether each agency has listed any ingredient as a carcinogen.			
Chemical Name	ACGIH IARC NTP OSHA				
SACCHARIN	-	Group 3	-	-	
81-07-2					
ACRYLIC ACID	-	Group 3	-	-	
79-10-7					

IARC (International Agency for Research on Cancer) Not classifiable as a human carcinogen

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	4562 mg/kg
ATEmix (dermal)	2858 mg/kg
ATEmix (inhalation-dust/mist)	9.5 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

95.465 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

Chemical Name	Partition coefficient
DIMETHACRYLATE ESTER	0.97
27813-02-1	
MALEIC ACID	-0.79 - 0.32
110-16-7	
ACRYLIC ACID	0.38 - 0.46
79-10-7	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	Not applicable

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status	
DIMETHYLBENZYL HYDROPEROXIDE	Toxic	
80-15-9	Ignitable	

14. TRANSPORT INFORMATION

DOT_ Proper shipping name:	Not regulated
IATA Proper shipping name:	Not regulated
IMDG	

Proper shipping name: Not regulated

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Not determined
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
DIMETHYLBENZYL HYDROPEROXIDE - 80-15-9	1.0
SACCHARIN - 81-07-2	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name CWA - Reportable CWA - Toxic Pollutants CWA - Priority Pollutants C Quantities	WA - Hazardous Substances
---	------------------------------

	5000 lb			×
MALEIC ACID 110-16-7	ai 0006	-	-	^
110 107				

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
DIMETHYLBENZYL	10 lb	-	RQ 10 lb final RQ
HYDROPEROXIDE			RQ 4.54 kg final RQ
80-15-9			_
MALEIC ACID	5000 lb	-	RQ 5000 lb final RQ
110-16-7			RQ 2270 kg final RQ
ACRYLIC ACID	5000 lb	-	RQ 5000 lb final RQ
79-10-7			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product is not known to contain any chemicals listed as carcinogens or reproductive toxins.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
DIMETHYLBENZYL	X	Х	X
HYDROPEROXIDE			
80-15-9			
SACCHARIN	X	X	X
81-07-2			
ACRYLIC ACID	X	Х	X
79-10-7			
1,4-NAPHTHOQUINONE	X	X	X
130-15-4			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

WHMIS Hazard Class

D2B - Toxic materials

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA_	Health hazards 2	Flammability 1
HMIS	Health hazards 2	Flammability 1

Instability 0 Physical hazards 0

Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 04-Sep-2015

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet